



Koselastex
Non Aggregated
Latex Texture Paint

Kostallic Pearl
Waterborne Metallic Finish

Name Behind Quality



Introducing Kossan Paint



Kossan Paint (M) Sdn Bhd has its humble beginning back in 1987. It has been putting its efforts in manufacturing and marketing of Marine Paints, Protective Coatings and Decorative paints that provided a total solution to the needs of protection and decoration. Encouraged by the wide acceptability of its wet paint products, Kossan Paint (M) Sdn Bhd went a step further to introduce Powder Coatings products in early 2001.

The company has continuously invested heavily in skilled training and product innovation (R&D) to provide superior quality at an affordable price.

Kossan Paint operates with total workforce of 180 workers and has grown from strength to strength not just through superior quality and services but also the employment of advance manufacturing equipment and aggressive R&D initiatives. Kossan Paint is able to roll out its products in a more cost-effective mode compared to its rivals.

Kossan Paint (M) Sdn Bhd currently runs on a state-of-the-art facility along Jalan Kapar, Klang, and Selangor. Spreading over a production area of 17,500 square meters, the plant is equipped the most sophisticated manufacturing equipment and an intergraded R&D department. The plant will have the capacity of churning out some 21,600 tonnes per annum of marine & protective coatings, powder coating, decorative paints & etc.





Koselastex

Non Aggregated Latex Texture Paint

Kostallic Pearl

Waterborne Metallic Finish



Kostallic Pearl

Waterborne Metallic Finish

KOSTALLIC PEARL is a pure acrylic emulsion based interior decorative coating, designed for an elegant metallic pearl effect. The variety of colors in exotic appearance provides an aesthetic appearance and it offers excellent adhesion to wall surfaces. It contains anti bacterial and anti fungal additives. KOSTALLIC PEARL particularly suitable for application on representative wall surfaces, e.g. shopping centers, office & residential buildings, banks, restaurant and bistro, coffee house etc.



KOSTALLIC PEARL is recommended for interior decorations of surfaces like concrete, plaster, gypsum, wooden, design board, feature walls etc. It is also be used as a topcoat on emulsion based paints or texture paints. For better color performance, it is recommended apply a color base coat, closer to the shade of KOSTALLIC PEARL color shade. The product is highly suitable for interior surfaces for creating special effects with the help of spot lights. A surface coated with KOSTALLIC PEARL shimmers in response to the light source, position and intensity.

Recommended System

- ~ Apply one coat of ULTRA-SEAL (White), diluted with 5% water, by using roller and allow it to dry.
- ~ Apply one coat of common latex emulsion color topcoat / basecoat (closer to the shade of KOSTALLIC PEARL) by using roller and allow it to dry.
- ~ Ensure KOSTALLIC PEARL is uniformly mixed with a clean spatula or a mechanical propeller mixer. Apply first coat of the chosen color of undiluted KOSTALLIC PEARL, by using roller and allow it to dry.
- ~ Repeat the same method for second coat application also. Allow it to dry.

*Note

- ~The orientation of metallic flakes is important. It is advisable to take roller as close as possible to the corner or edge to reduce the change in appearance that can occur when KOSTALLIC PEARL is applied by brush or roller.
- ~Touch up must be avoided, as a difference in appearance may appear. An entire area application is preferred to provide a uniform finish.
- ~In order to ensure a uniform orientation of effect pigmentation, apply the product evenly, spread crosswise and then roll in one direction.



Koselastex

Non Aggregated Latex Texture Paint

KOSELASTEX is a high quality non aggregates acrylic latex texture paint specially formulated to provide a uniform textured appearance to rough and irregular surfaces using common paint application tools. KOSELASTEX could be top coated with any emulsion colour paint or metallic effect paint such as KOSTALLIC PEARL series to provide an elegant and luxurious decorative finishing. It is also provide good crack resistance properties when high thickness of coating applied. No matter which technique you choose, KOSELASTEX will give you professional results with do-it-yourself simplicity


KOSELASTEX is highly recommended for interior decorations of surfaces like concrete, plaster, gypsum, interior drywall, ceiling or drywall, design board, feature walls etc. KOSELASTEX particularly suitable for application on representative wall surfaces, e.g. shopping centers, office or residential buildings, hotels, restaurant or bistro, and residential area such as living room, bedroom etc.

Recommended System (*Metallic effect finishing*)


- ~ Apply one coat of ULTRA-SEAL (White), diluted with 5% water, by using roller and allow it to dry.
- ~ Apply one thick coat of KOSELASTEX TEXTURE COAT to create desired texture pattern with variety of paint application tools.
- ~ Apply one coat of common latex emulsion color topcoat / basecoat (closer to the shade of KOSTALLIC PEARL) by using roller and allow it to dry.
- ~ Apply first coat of the chosen color of undiluted KOSTALLIC PEARL, by using roller and allow it to dry.
- ~ Repeat the same method for second coat of KOSTALLIC PEARL is necessary. Allow it to dry.



KET-P01



KET-P02



KET-P03




KET-P04




KET-P05



KET-P06




KET-P07



KET-P08




KET-P09




KET-P01

KSP-M003 Graphite



KET-P01

KSP-M006 Midnight Blue




KET-P01

KSP-M012 Jade Green



KET-P02

KSP-G001 Light Champagne Gold




KET-P02

KSP-G005 Fine Gold



KET-P03

KSP-C001 Precious Copper



KET-P03

KSP-M008 Navy Blue



KET-P05

KSP-C003 Brilliant Copper




KET-P05

KSP-G003 Royal Gold



KET-P04

KSP-C002 Copper




KET-P04

KSP-G002 Pearl Beige



KET-P04

KSP-M002 Silver Smith



KET-P06

KSP-M001 Silver




KET-P06

KSP-M009 Metropolis



KET-P07

KSP-B001 Bronze




KET-P07

KSP-G004 Rose Gold



KET-P08

KSP-M005 Midnight Silver



KET-P08

KSP-M011 Magenta



KET-P09

KSP-M004 Pearl Green




KET-P09

KSP-M007 Storm Silver



KET-P09

KSP-M010 Coppertone



METHOD OF APPLICATION

The product should be stirred thoroughly before and during application. Apply with paint brush, roller or special paint application tools to create different desired texture effect. Follow the specific technique instructions in the KOSELASTEX Texture Paint guide. Once the texture has dried, to change color or increase paint durability, apply 1 -2 coats of KOSSAN Interior or Exterior latex emulsion topcoat; especially topcoat with variety of KOSTALLIC PEARL colors in exotic appearance provide an aesthetic appearance.



1

Apply 1 coat of Ultra-Seal US-01 sealer with roller. Let it dry for 1 hour.



2

Apply 1 medium layer of KOSELASTEX Texture paint using medium nap roller. Spread the coating layer evenly.



3

Load and completely saturate the special pattern roller with KOSELASTEX Texture paint. Apply a heavy coat of Texture paint with Pattern roller to the substrate. Reloading the roller as necessary to create the texture patterns. Leave it dry for at least 24 hours at good ventilation condition.



4

Knock down Technique

Light pressing with trowel or putty knife on the texture pattern surface to create other texture pattern while the paint still wet. (Optional)



5

Apply one coat of common latex emulsion color topcoat such as K-Shield Eco (closer to the color shade of KOSTALLIC PEARL) by using roller and allow it to dry for 1 – 2 hours.




6

Apply first coat of the KOSTALLIC PEARL, by using roller and allow it to dry. Medium to short pile microfiber roller is highly recommended for light to medium texture finishing. Long pile roller is recommended for those heavy thick texture finishing.


In order to ensure a uniform orientation of effect pigmentation, apply the product evenly, spread crosswise and then roll in one direction.

Repeat the same method for second coat application after 2 hours.



7

Elegant Metallic Pearl effect texture finishing.





www.kossanpaint.com

**KOSSAN PAINT (M) SDN BHD
KOSSAN PAINT MARKETING SDN BHD**

**CENTRAL
HQ**

1, Jalan Koporat 1/KU 9, Taman Perindustrian Meru,
42200 Kapar, Selangor Darul Ehsan, Malaysia.
Tel : +603-3392 2799 / 4296 / 4297 / 4299 / 4307
Fax : +603-3392 3799
Email : sales@kossanpaint.com.my
Website : www.kossanpaint.com

**NORTH MALAYSIA
Penang Branch**

No. 2A, Lorong Asas Jaya 9,
Kawasan Industry Ringan Asas Jaya,
14000 Bukit Mertajam, Pulau Pinang, Malaysia
Tel : +604-504 1559 Fax : +604-506 2559
Email : kpmjpg@kossanpaint.com.my

**SOUTH MALAYSIA
Johor Branch**

No. 28 Jalan Maju Cemerlang 1,
Taman Perindustrian Maju Cemerlang,
81800 Ulu Tiram, Johor, Malaysia.
Tel : +607-859 0299 Fax : +607-859 0229
Email : kpmjb@kossanpaint.com.my

**EAST MALAYSIA
Sandakan Branch**

Ground Floor, Lot 1 & 2, Block K,
Bandar Ramai-Ramai, Leila Road,
P.O. Box 317, 90703 Sandakan, Sabah, Malaysia
Tel : +6089-272 417 Fax : +6089-272 451
Email : kpmsdk@kossanpaint.com.my

Kota Kinabalu Branch

Lot SD 39 Semi-Detached Warehouse,
Lorong Industrial Warisan 3,
Taman Industrial Warisan Indah,
KM 11.2, Jalan Tuaran, Inanam,
88450 Kota Kinabalu, Sabah, Malaysia.
Tel : +6088-383 457 Fax : +6088-382 457
Email : kpmkk@kossanpaint.com.my

Sibu Branch

No. 6B, 2/L 10, Wong Ting Hock 1/2 Miles,
96000 Sibu, Sarawak, Malaysia.
Tel : +6084-326 291 H/P : 016-220 6291
Email : kpmssibu@kossanpaint.com.my